

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
Project: Skilled Nursing Facility Project Location: California Project Type: Commercial/Health Care Date of Estimate August 18, 2026 Covered Area of Structure (SF) 46055 No. of Units 48 No. of Floors 1+Clerestory							
			DIV 09 - Drywall & Metal Framing				
			WALLS				
			Fire Stopping BTW Trusses H=3'-0" [16/T-1.5]				
576	A2.1-A2.16	16/T-1.5	Fire Stopping BTW Trusses H=3'-0"	14	5%	14.70	LF.Wall
577			(1) Face Layer 5/8" Type X GB, 1 Base Layer 5/8" Type X , H=3'	88	0%	88	SF
578			4'x8'x5/8" Type X GB Sheet	3	0%	3	Sheets
579			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
579			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
580			Fire-Rated Sealant, Head & Base Jts	30	0%	30	LF
581			Level 4 Finish	44	0%	44	SF
581			Level 1 Fire Taping	88	0%	88	SF
			Fire Stopping BTW Trusses H=3'-0" [18/T-1.5]				
582	A2.1-A2.16	18/T-1.5	Fire Stopping BTW Trusses H=3'-0"	10	5%	10.50	LF.Wall
583			(1) Face Layer 5/8" Type X GB, 1 Base Layer 5/8" Type X , H=3'	63	0%	63	SF
584			4'x8'x5/8" Type X GB Sheet	2	0%	2	Sheets
585			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
585			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
586			Fire-Rated Sealant, Head & Base Jts	21	0%	21	LF
587			Level 4 Finish	32	0%	32	SF
587			Level 1 Fire Taping	63	0%	63	SF
			Fire Stopping BTW Trusses H=1'-0" [13,14,15/T-1.6]				
588	A2.1-A2.16	13,14,15/T-1.6	Fire Stopping BTW Trusses H=1'-0"	30	5%	31.50	LF.Wall
589			(1) Face Layer 5/8" Type X GB, Both Sides, H=1'	63	0%	63	SF
590			(1) Hidden Layer 5/8" Type X GB, Both Sides, H=1'	63	0%	63	SF
591			4'x8'x5/8" Type X GB Sheet	4	0%	4	Sheets
592			1-7/8" Type W Screws, Face Over Base	1	0%	1	Lbs
593			6d Cement Coated Nails, Hidden Layers	1	0%	1	Lbs
594			Fire-Rated Sealant, Head & Base Jts	63	0%	63	LF
595			Level 1 Fire Taping	63	0%	63	SF
			Fire Stopping BTW Trusses H=2'-6" [16/T-1.6]				
596	A2.1-A2.16	16/T-1.6	Fire Stopping BTW Trusses H=2'-6"	22	5%	23.34	LF.Wall
597			(1) Face Layer 5/8" Type X GB, Both Sides, H=2.5'	117	0%	117	SF
598			4'x8'x5/8" Type X GB Sheet	4	0%	4	Sheets

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
599			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
600			Fire-Rated Sealant, Head & Base Jts	47	0%	47	LF
601			Level 1 Fire Taping	117	0%	117	SF
			Fire Stopping BTW Trusses H=3'-0" [15/T-1.5]				
602	A2.1-A2.16	15/T-1.5	Fire Stopping BTW Trusses H=3'-0"	39	5%	40.86	LF.Wall
603			(1) Face Layer 5/8" Type X GB, One Sides, H=3'	123	0%	123	SF
604			(3) Hidden Layer 5/8" Type X GB, H=3'	368	0%	368	SF
605			4'x8'x5/8" Type X GB Sheet	16	0%	16	Sheets
606			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
606			1-7/8" Type W Screws, Face Over Base	1	0%	1	Lbs
607			6d Cement Coated Nails, Hidden Layers	2	0%	2	Lbs
608			Fire-Rated Sealant, Head & Base Jts	82	0%	82	LF
609			Level 4 Finish	123	0%	123	SF
609			Level 1 Fire Taping	123	0%	123	SF
			CS Exterior Wall B-1-6 H=14'-0" [6/A-6.1] along Parapet				
610	A2.18	6/A-6.1	CS Exterior Wall B-1-6 H=14'-0"	8	5%	8.77	LF.Wall
611			(1) Face Layer 5/8" DensGlass Sheathing, One Side, H=14'	123	0%	123	SF
612			4'x8'x5/8" DensGlass Sheet	4	0%	4	Sheets
613			1-5/8" Screws, DensGlass	1	0%	1	Lbs
614			Level 1 Fire Taping	123	0%	123	SF
			CS Exterior Wall B-1-6 H=15'-0" Double Stud				
615	A2.18	T-1.4	CS Exterior Wall B-1-6 H=15'-0" Double Stud	78	5%	81.60	LF.Wall
616			(1) Face Layer 5/8" Type X GB, One Side, H=15'	1224	0%	1224	SF
617			(1) Face Layer 5/8" DensGlass Sheathing, One Side, H=15'	1224	0%	1224	SF
618			4'x8'x5/8" Type X GB Sheet	39	0%	39	Sheets
619			4'x8'x5/8" DensGlass Sheet	39	0%	39	Sheets
620			500' Tape Roll, Face Layers Only	3	0%	3	Rolls
621			1-1/4" Type W Screws, Face Layers	7	0%	7	Lbs
622			1-5/8" Screws, DensGlass	7	0%	7	Lbs
623			Fire-Rated Sealant, Head & Base Jts	164	0%	164	LF
624			Level 4 Finish	1224	0%	1224	SF
625			Level 1 Fire Taping	1224	0%	1224	SF
			CS Exterior Wall B-1-6 H=4'-0"				
626	A2.18	T-1.4	CS Exterior Wall B-1-6 H=4'-0"	442	5%	463.66	LF.Wall
627			(1) Face Layer 5/8" Type X GB, One Side, H=4'	1855	0%	1855	SF
628			(1) Face Layer 5/8" DensGlass Sheathing, One Side, H=4'	1855	0%	1855	SF
629			4'x8'x5/8" Type X GB Sheet	58	0%	58	Sheets
630			4'x8'x5/8" DensGlass Sheet	58	0%	58	Sheets
631			500' Tape Roll, Face Layers Only	4	0%	4	Rolls
632			1-1/4" Type W Screws, Face Layers	10	0%	10	Lbs
633			1-5/8" Screws, DensGlass	10	0%	10	Lbs
634			Fire-Rated Sealant, Head & Base Jts	928	0%	928	LF
635			Level 4 Finish	1855	0%	1855	SF

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
636			Level 1 Fire Taping	1855	0%	1855	SF
			CS Exterior Wall B-1-6 H=5'-6"				
637	A2.18	T-1.4	CS Exterior Wall B-1-6 H=5'-6"	392	5%	411.67	LF.Wall
638			(1) Face Layer 5/8" Type X GB, One Side, H=5.5'	2264	0%	2264	SF
639			(1) Face Layer 5/8" DensGlass Sheathing, One Side, H=5.5'	2264	0%	2264	SF
640			4'x8'x5/8" Type X GB Sheet	71	0%	71	Sheets
641			4'x8'x5/8" DensGlass Sheet	71	0%	71	Sheets
642			500' Tape Roll, Face Layers Only	5	0%	5	Rolls
643			1-1/4" Type W Screws, Face Layers	12	0%	12	Lbs
644			1-5/8" Screws, DensGlass	12	0%	12	Lbs
645			Fire-Rated Sealant, Head & Base Jts	824	0%	824	LF
646			Level 4 Finish	2264	0%	2264	SF
647			Level 1 Fire Taping	2264	0%	2264	SF
			CS Exterior Wall B-1-6 H=7'-8" Double Stud				
648	A2.18	T-1.4	CS Exterior Wall B-1-6 H=7'-8" Double Stud	121	5%	127.54	LF.Wall
649			(1) Face Layer 5/8" Type X GB, One Side, H=7.67'	978	0%	978	SF
650			(1) Face Layer 5/8" DensGlass Sheathing, One Side, H=7.67'	978	0%	978	SF
651			4'x8'x5/8" Type X GB Sheet	31	0%	31	Sheets
652			4'x8'x5/8" DensGlass Sheet	31	0%	31	Sheets
653			500' Tape Roll, Face Layers Only	2	0%	2	Rolls
654			1-1/4" Type W Screws, Face Layers	6	0%	6	Lbs
655			1-5/8" Screws, DensGlass	6	0%	6	Lbs
656			Fire-Rated Sealant, Head & Base Jts	256	0%	256	LF
657			Level 4 Finish	978	0%	978	SF
658			Level 1 Fire Taping	978	0%	978	SF
			CS Non-Brg Hanging Wall H=9'-8" [6/S4.4]				
659	A2.18	6/S4.4	CS Non-Brg Hanging Wall H=9'-8"	15	5%	15.86	LF.Wall
660			(1) Face Layer 5/8" DensGlass Sheathing, One Side, H=9.8'	153	0%	153	SF
661			4'x8'x5/8" DensGlass Sheet	5	0%	5	Sheets
662			1-1/4" Type W Screws, DensGlass	1	0%	1	Lbs
663			Level 1 Fire Taping	153	0%	153	SF
			Ext Column Furring CM-1-1 H=10'-0" [1,5/A-6.2]				
664	A2.1-A2.16	1,5/A-6.2	Ext Column Furring CM-1-1 H=10'-0"	32	5%	33.80	LF.Wall
665			(3) Hidden Layer 1/2" Type X GB, H=10'	1014	0%	1014	SF
666			4'x8'x1/2" Type X GB Sheet	32	0%	32	Sheets
667			6d Cement Coated Nails, Hidden Layers	6	0%	6	Lbs
668			Fire-Rated Sealant, Head & Base Jts	68	0%	68	LF
669			Level 1 Fire Taping	1014	0%	1014	SF
			3-5/8" x 10' Metal Studs x 18 Mil	48	0%	48	EA
			3-5/8" x 10' Metal Studs Tracks x 18 Mil	7	0%	7	EA
			Ext Column Furring CM-1-1 H=11'-6" [1,5/A-6.2]				

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
670	A2.1-A2.16	1,5/A-6.2	Ext Column Furring CM-1-1 H=11'-6"	34	5%	35.70	LF.Wall
671			(3) Hidden Layer 1/2" Type X GB, H=11'-6"	1232	0%	1232	SF
672			4'x8'x1/2" Type X GB Sheet	39	0%	39	Sheets
673			6d Cement Coated Nails, Hidden Layers	7	0%	7	Lbs
674			Fire-Rated Sealant, Head & Base Jts	72	0%	72	LF
675			Level 1 Fire Taping	1232	0%	1232	SF
			3-5/8" x 12' Metal Studs x 18 Mil	48	0%	48	EA
			3-5/8" x 10' Metal Studs Tracks x 18 Mil	7	0%	7	EA
			Ext Column Furring CM-1-1 H=13'-0" [1,5/A-6.2]				
676	A2.1-A2.16	1,5/A-6.2	Ext Column Furring CM-1-1 H=13'-0"	23	5%	23.86	LF.Wall
677			(3) Hidden Layer 1/2" Type X GB, H=13'-0"	930	0%	930	SF
678			4'x8'x1/2" Type X GB Sheet	30	0%	30	Sheets
679			6d Cement Coated Nails, Hidden Layers	5	0%	5	Lbs
680			Fire-Rated Sealant, Head & Base Jts	48	0%	48	LF
681			Level 1 Fire Taping	930	0%	930	SF
			3-5/8" x 14' Metal Studs x 18 Mil	32	0%	32	EA
			3-5/8" x 10' Metal Studs Tracks x 18 Mil	5	0%	5	EA
			Int Column Furring CM-1-1 H=10'-0"				
682	A2.1-A2.16	CM-1454	Int Column Furring CM-1-1 H=10'-0"	12	5%	12.22	LF.Wall
683			(1) Face Layer 1/2" Type X GB, One Side, H=10'	122	0%	122	SF
684			(2) Hidden Layer 1/2" Type X GB, H=10'	244	0%	244	SF
685			4'x8'x1/2" Type X GB Sheet	12	0%	12	Sheets
686			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
687			1-7/8" Type W Screws, Face Over Base	1	0%	1	Lbs
688			6d Cement Coated Nails, Hidden Layers	2	0%	2	Lbs
689			Fire-Rated Sealant, Head & Base Jts	25	0%	25	LF
690			Level 4 Finish	122	0%	122	SF
691			Level 1 Fire Taping	244	0%	244	SF
			3-5/8" x 10' Metal Studs x 18 Mil	24	0%	24	EA
			3-5/8" x 10' Metal Studs Tracks x 18 Mil	2	0%	2	EA
			Exterior Wall B-1-6 H=10'-0"				
692	A2.1-A2.16	T-1.4	Exterior Wall B-1-6 H=10'-0"	1267	5%	1330.69	LF.Wall
693			(1) Face Layer 5/8" Type X GB, One Side, H=10'	13307	0%	13307	SF
694			(1) Face Layer 5/8" DensGlass Sheathing, One Side, H=10'	13307	0%	13307	SF
695			4'x8'x5/8" Type X GB Sheet	416	0%	416	Sheets
696			4'x8'x5/8" DensGlass Sheet	416	0%	416	Sheets
697			500' Tape Roll, Face Layers Only	27	0%	27	Rolls
698			1-1/4" Type W Screws, Face Layers	70	0%	70	Lbs
699			1-5/8" Screws, DensGlass	70	0%	70	Lbs
700			Fire-Rated Sealant, Head & Base Jts	2662	0%	2662	LF
701			Level 4 Finish	13307	0%	13307	SF

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
702			Level 1 Fire Taping	13307	0%	13307	SF
			Exterior Wall B-1-6 H=10'-0" [1MR]				
703	A2.1-A2.16	T-1.4	Exterior Wall B-1-6 H=10'-0"	133	5%	140.11	LF.Wall
704			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	1401	0%	1401	SF
705			(1) Face Layer 5/8" DensGlass Sheathing, One Side, H=10'	1401	0%	1401	SF
706			4'x8'x5/8" Type X MR GB Sheet	44	0%	44	Sheets
707			4'x8'x5/8" DensGlass Sheet	44	0%	44	Sheets
708			500' Tape Roll, Face Layers Only	3	0%	3	Rolls
709			1-1/4" Type W Screws, Face Layers	8	0%	8	Lbs
710			1-5/8" Screws, DensGlass	8	0%	8	Lbs
711			Fire-Rated Sealant, Head & Base Jts	281	0%	281	LF
712			Level 4 Finish	1401	0%	1401	SF
713			Level 1 Fire Taping	1401	0%	1401	SF
			Exterior Wall B-1-6 H=10'-0" [Tile Backer]				
714	A2.1-A2.16	T-1.4	Exterior Wall B-1-6 H=10'-0"	19	5%	19.82	LF.Wall
715			(1) Face Layer 1/2" Tile Backer Board, One Side, H=10'	198	0%	198	SF
716			(1) Face Layer 5/8" DensGlass Sheathing, One Side, H=10'	198	0%	198	SF
717			3'x5'x1/2" Tile Backer Board	14	0%	14	Sheets
718			4'x8'x5/8" DensGlass Sheet	7	0%	7	Sheets
719			1-1/4" Backer Screws	2	0%	2	Lbs
720			1-5/8" Screws, DensGlass	2	0%	2	Lbs
721			Fire-Rated Sealant, Head & Base Jts	40	0%	40	LF
722			Level 1 Fire Taping	198	0%	198	SF
			Exterior Wall B-1-6 H=10'-0" [Transition 16/A-6.2]				
723	A2.1-A2.16	16/A-6.2	Exterior Wall B-1-6 H=10'-0"	355	5%	372.99	LF.Wall
724			(1) Face Layer 5/8" DensGlass Sheathing, One Side, H=10'	3730	0%	3730	SF
725			4'x8'x5/8" DensGlass Sheet	117	0%	117	Sheets
726			1-5/8" Screws, DensGlass	20	0%	20	Lbs
727			Fire-Rated Sealant, Head & Base Jts	746	0%	746	LF
728			Level 1 Fire Taping	3730	0%	3730	SF
			Interior Wall A-0-4 H=10'-0"				
729	A2.1-A2.16	T-1.4	Interior Wall A-0-4 H=10'-0"	381	5%	399.63	LF.Wall
730			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	7993	0%	7993	SF
731			4'x8'x5/8" Type X GB Sheet	250	0%	250	Sheets
732			500' Tape Roll, Face Layers Only	16	0%	16	Rolls
733			1-1/4" Type W Screws, Face Layers	42	0%	42	Lbs
734			USG Acoustical Sealant, Head & Base Jts	1599	0%	1599	LF
735			Level 4 Finish	7993	0%	7993	SF
			Interior Wall A-0-4 H=10'-0" [1MR]				
736	A2.1-A2.16	T-1.4	Interior Wall A-0-4 H=10'-0"	289	5%	303.51	LF.Wall
737			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	3035	0%	3035	SF
738			(1) Face Layer 5/8" Type X GB, One Side, H=10'	3035	0%	3035	SF

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
739			4'x8'x5/8" Type X MR GB Sheet	95	0%	95	Sheets
740			4'x8'x5/8" Type X GB Sheet	95	0%	95	Sheets
741			500' Tape Roll, Face Layers Only	13	0%	13	Rolls
742			1-1/4" Type W Screws, Face Layers	32	0%	32	Lbs
743			USG Acoustical Sealant, Head & Base Jts	1215	0%	1215	LF
744			Level 4 Finish	6070	0%	6070	SF
			Interior Wall A-0-4 H=10'-0" [2MR]				
745	A2.1-A2.16	T-1.4	Interior Wall A-0-4 H=10'-0"	16	5%	16.42	LF.Wall
746			(1) Face Layer 5/8" Type X MR GB, Both Sides, H=10'	328	0%	328	SF
747			4'x8'x5/8" Type X MR GB Sheet	11	0%	11	Sheets
748			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
749			1-1/4" Type W Screws, Face Layers	2	0%	2	Lbs
750			USG Acoustical Sealant, Head & Base Jts	66	0%	66	LF
751			Level 4 Finish	328	0%	328	SF
			Interior Wall A-0-4 H=10'-0" Furring [1MR]				
752	A2.1-A2.16	T-1.4	Interior Wall A-0-4 Furring	40	5%	42.08	LF.Wall
753			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	421	0%	421	SF
754			4'x8'x5/8" Type X MR GB Sheet	14	0%	14	Sheets
755			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
756			1-1/4" Type W Screws, Face Layers	3	0%	3	Lbs
757			USG Acoustical Sealant, Head & Base Jts	85	0%	85	LF
758			Level 4 Finish	421	0%	421	SF
			Interior Wall A-0-4 H=10'-0" Furring				
759	A2.1-A2.16	T-1.4	Interior Wall A-0-4 Furring	196	5%	206.16	LF.Wall
760			(1) Face Layer 5/8" Type X GB, One Side, H=10'	2062	0%	2062	SF
761			4'x8'x5/8" Type X GB Sheet	65	0%	65	Sheets
762			500' Tape Roll, Face Layers Only	5	0%	5	Rolls
763			1-1/4" Type W Screws, Face Layers	11	0%	11	Lbs
764			USG Acoustical Sealant, Head & Base Jts	413	0%	413	LF
765			Level 4 Finish	2062	0%	2062	SF
			Interior Wall A-0-4 H=10'-0" Furring [TB 4'-6" + 1MR 5'-6"]				
766	A2.1-A2.16	T-1.4	Interior Wall A-0-4 Furring	9	5%	9.14	LF.Wall
767			(1) Face Layer 1/2" Tile Backer Board, One Side, H=4.5'	41	0%	41	SF
768			(1) Face Layer 5/8" Type X MR GB, One Side, H=5.5'	50	0%	50	SF
769			3'x5'x1/2" Tile Backer Board	3	0%	3	Sheets
770			4'x8'x5/8" Type X MR GB Sheet	2	0%	2	Sheets
771			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
772			1-1/4" Backer Screws	1	0%	1	Lbs
773			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
774			USG Acoustical Sealant, Head & Base Jts	19	0%	19	LF
775			Level 4 Finish	50	0%	50	SF
			Interior Wall A-0-4 H=10'-0" Furring [Tile Backer 10']				

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
776	A2.1-A2.16	T-1.4	Interior Wall A-0-4 Furring	152	5%	159.62	LF.Wall
777			(1) Face Layer 1/2" Tile Backer Board, One Side, H=10'	1596	0%	1596	SF
778			3'x5'x1/2" Tile Backer Board	107	0%	107	Sheets
779			1-1/4" Backer Screws	9	0%	9	Lbs
			Interior Wall A-0-4 H=10'-0" [TB 1 Side + 1MR]				
780	A2.1-A2.16	T-1.4	Interior Wall A-0-4	2	5%	2.33	LF.Wall
781			(1) Face Layer 1/2" Tile Backer Board, One Side, H=10'	23	0%	23	SF
782			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	23	0%	23	SF
783			3'x5'x1/2" Tile Backer Board	2	0%	2	Sheets
784			4'x8'x5/8" Type X MR GB Sheet	1	0%	1	Sheets
785			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
786			1-1/4" Backer Screws	1	0%	1	Lbs
787			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
788			USG Acoustical Sealant, Head & Base Jts	10	0%	10	LF
789			Level 4 Finish	23	0%	23	SF
			Interior Wall A-0-4 H=10'-0" [TB 1 Side]				
790	A2.1-A2.16	T-1.4	Interior Wall A-0-4	258	5%	270.89	LF.Wall
791			(1) Face Layer 1/2" Tile Backer Board, One Side, H=10'	2709	0%	2709	SF
792			(1) Face Layer 5/8" Type X GB, One Side, H=10'	2709	0%	2709	SF
793			3'x5'x1/2" Tile Backer Board	181	0%	181	Sheets
794			4'x8'x5/8" Type X GB Sheet	85	0%	85	Sheets
795			500' Tape Roll, Face Layers Only	6	0%	6	Rolls
796			1-1/4" Backer Screws	15	0%	15	Lbs
797			1-1/4" Type W Screws, Face Layers	15	0%	15	Lbs
798			USG Acoustical Sealant, Head & Base Jts	1084	0%	1084	LF
799			Level 4 Finish	2709	0%	2709	SF
			Interior Wall A-0-4 H=10'-0" [TB Both Sides]				
800	A2.1-A2.16	T-1.4	Interior Wall A-0-4	3	5%	3.43	LF.Wall
801			(1) Face Layer 1/2" Tile Backer Board, Both Sides, H=10'	69	0%	69	SF
802			3'x5'x1/2" Tile Backer Board	5	0%	5	Sheets
803			1-1/4" Backer Screws	1	0%	1	Lbs
			Interior Wall A-0-4 H=10'-0" [TB 4'-6" Both + 2MR 5'-6"]				
804	A2.1-A2.16	T-1.4	Interior Wall A-0-4	9	5%	9.14	LF.Wall
805			(1) Face Layer 1/2" Tile Backer Board, Both Sides, H=4.5'	82	0%	82	SF
806			(1) Face Layer 5/8" Type X MR GB, Both Sides, H=5.5'	101	0%	101	SF
807			3'x5'x1/2" Tile Backer Board	6	0%	6	Sheets
808			4'x8'x5/8" Type X MR GB Sheet	4	0%	4	Sheets
809			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
810			1-1/4" Backer Screws	1	0%	1	Lbs
811			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
812			USG Acoustical Sealant, Head & Base Jts	37	0%	37	LF
813			Level 4 Finish	101	0%	101	SF

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
			Interior Wall A-0-6 H=10'-0"				
814	A2.1-A2.16	T-1.4	Interior Wall A-0-6 H=10'-0"	438	5%	459.72	LF.Wall
815			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	9194	0%	9194	SF
816			4'x8'x5/8" Type X GB Sheet	288	0%	288	Sheets
817			500' Tape Roll, Face Layers Only	19	0%	19	Rolls
818			1-1/4" Type W Screws, Face Layers	49	0%	49	Lbs
819			USG Acoustical Sealant, Head & Base Jts	1839	0%	1839	LF
820			Level 4 Finish	9194	0%	9194	SF
			Interior Wall A-0-6 H=10'-0" [1MR One Side, Other TB 4'-6"+1MR 5'-6"]				
821	A2.1-A2.16	T-1.4	Interior Wall A-0-6	8	5%	8.62	LF.Wall
822			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	86	0%	86	SF
823			(1) Face Layer 1/2" Tile Backer Board, One Side, H=4.5'	39	0%	39	SF
824			(1) Face Layer 5/8" Type X MR GB, One Side, H=5.5'	47	0%	47	SF
825			4'x8'x5/8" Type X MR GB Sheet	5	0%	5	Sheets
826			3'x5'x1/2" Tile Backer Board	3	0%	3	Sheets
827			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
828			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
829			1-1/4" Backer Screws	1	0%	1	Lbs
830			USG Acoustical Sealant, Head & Base Jts	35	0%	35	LF
831			Level 4 Finish	134	0%	134	SF
			Interior Wall A-0-6 H=10'-0" [1MR]				
832	A2.1-A2.16	T-1.4	Interior Wall A-0-6	165	5%	173.55	LF.Wall
833			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	1736	0%	1736	SF
834			(1) Face Layer 5/8" Type X GB, One Side, H=10'	1736	0%	1736	SF
835			4'x8'x5/8" Type X MR GB Sheet	55	0%	55	Sheets
836			4'x8'x5/8" Type X GB Sheet	55	0%	55	Sheets
837			500' Tape Roll, Face Layers Only	7	0%	7	Rolls
838			1-1/4" Type W Screws, Face Layers	19	0%	19	Lbs
839			USG Acoustical Sealant, Head & Base Jts	695	0%	695	LF
840			Level 4 Finish	3471	0%	3471	SF
			Interior Wall A-0-6 H=10'-0" [2MR]				
841	A2.1-A2.16	T-1.4	Interior Wall A-0-6	25	5%	26.11	LF.Wall
842			(1) Face Layer 5/8" Type X MR GB, Both Sides, H=10'	522	0%	522	SF
843			4'x8'x5/8" Type X MR GB Sheet	17	0%	17	Sheets
844			500' Tape Roll, Face Layers Only	2	0%	2	Rolls
845			1-1/4" Type W Screws, Face Layers	3	0%	3	Lbs
846			USG Acoustical Sealant, Head & Base Jts	105	0%	105	LF
847			Level 4 Finish	522	0%	522	SF
			Interior Wall A-0-6 H=10'-0" [TB 4'-6" Both + 2MR 5'-6"]				
848	A2.1-A2.16	T-1.4	Interior Wall A-0-6	9	5%	9.54	LF.Wall
849			(1) Face Layer 1/2" Tile Backer Board, Both Sides, H=4.5'	86	0%	86	SF
850			(1) Face Layer 5/8" Type X MR GB, Both Sides, H=5.5'	105	0%	105	SF
851			3'x5'x1/2" Tile Backer Board	6	0%	6	Sheets

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
852			4'x8'x5/8" Type X MR GB Sheet	4	0%	4	Sheets
853			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
854			1-1/4" Backer Screws	1	0%	1	Lbs
855			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
856			USG Acoustical Sealant, Head & Base Jts	39	0%	39	LF
857			Level 4 Finish	105	0%	105	SF
			Interior Wall A-0-6 H=10'-0" Furring				
858	A2.1-A2.16	T-1.4	Interior Wall A-0-6 Furring	19	5%	19.55	LF.Wall
859			(1) Face Layer 5/8" Type X GB, One Side, H=10'	196	0%	196	SF
860			4'x8'x5/8" Type X GB Sheet	7	0%	7	Sheets
861			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
862			1-1/4" Type W Screws, Face Layers	2	0%	2	Lbs
863			USG Acoustical Sealant, Head & Base Jts	40	0%	40	LF
864			Level 4 Finish	196	0%	196	SF
			Interior Wall A-0-6 Furring H=10'-0" [1MR]				
865	A2.1-A2.16	T-1.4	Interior Wall A-0-6 Furring	1	5%	1.12	LF.Wall
866			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	11	0%	11	SF
867			4'x8'x5/8" Type X MR GB Sheet	1	0%	1	Sheets
868			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
869			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
870			USG Acoustical Sealant, Head & Base Jts	3	0%	3	LF
871			Level 4 Finish	11	0%	11	SF
			Interior Wall A-0-6 Furring H=10'-0" [TB 4'-6" + 1MR 5'-6"]				
872	A2.1-A2.16	T-1.4	Interior Wall A-0-6 Furring	9	5%	9.54	LF.Wall
873			(1) Face Layer 1/2" Tile Backer Board, One Side, H=4.5'	43	0%	43	SF
874			(1) Face Layer 5/8" Type X MR GB, One Side, H=5.5'	52	0%	52	SF
875			3'x5'x1/2" Tile Backer Board	3	0%	3	Sheets
876			4'x8'x5/8" Type X MR GB Sheet	2	0%	2	Sheets
877			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
878			1-1/4" Backer Screws	1	0%	1	Lbs
879			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
880			USG Acoustical Sealant, Head & Base Jts	20	0%	20	LF
881			Level 4 Finish	52	0%	52	SF
			Interior Wall A-0-6 H=10'-0" [TB 1 Side]				
882	A2.1-A2.16	T-1.4	Interior Wall A-0-6	9	5%	9.52	LF.Wall
883			(1) Face Layer 1/2" Tile Backer Board, One Side, H=10'	95	0%	95	SF
884			(1) Face Layer 5/8" Type X GB, One Side, H=10'	95	0%	95	SF
885			3'x5'x1/2" Tile Backer Board	7	0%	7	Sheets
886			4'x8'x5/8" Type X GB Sheet	3	0%	3	Sheets
887			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
888			1-1/4" Backer Screws	1	0%	1	Lbs
889			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
890			USG Acoustical Sealant, Head & Base Jts	39	0%	39	LF

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
891			Level 4 Finish	95	0%	95	SF
			Interior Wall A-0-6 H=10'-0" [TB 4'-6" + 1MR 5'-6" One Side]				
892	A2.1-A2.16	T-1.4	Interior Wall A-0-6	16	5%	17.23	LF.Wall
893			(1) Face Layer 1/2" Tile Backer Board, One Side, H=4.5'	78	0%	78	SF
894			(1) Face Layer 5/8" Type X MR GB, One Side, H=5.5'	95	0%	95	SF
895			(1) Face Layer 5/8" Type X GB, One Side, H=10'	172	0%	172	SF
896			3'x5'x1/2" Tile Backer Board	6	0%	6	Sheets
897			4'x8'x5/8" Type X MR GB Sheet	3	0%	3	Sheets
898			4'x8'x5/8" Type X GB Sheet	6	0%	6	Sheets
899			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
900			1-1/4" Backer Screws	1	0%	1	Lbs
901			1-1/4" Type W Screws, Face Layers	2	0%	2	Lbs
902			USG Acoustical Sealant, Head & Base Jts	69	0%	69	LF
903			Level 4 Finish	267	0%	267	SF
			Interior Wall A-0-6P H=10'-0"				
904	A2.1-A2.16	T-1.4	Interior Wall A-0-6P H=10'-0"	262	5%	275.16	LF.Wall
905			(1) Face Layer 5/8" Type X GB, One Side, H=10'	2752	0%	2752	SF
906			(1) Hidden Layer 5/8" Type X GB, One Side, H=10'	2752	0%	2752	SF
907			(1) Face Layer 5/8" Type X GB, One Side, H=10'	2752	0%	2752	SF
908			12' Resilient Channel @ 24" O.C., One Side	115	0%	115	EA
909			4'x8'x5/8" Type X GB Sheet	258	0%	258	Sheets
910			500' Tape Roll, Face Layers Only	12	0%	12	Rolls
911			1-1/4" Type W Screws, Face Layers	15	0%	15	Lbs
912			6d Cement Coated Nails, Hidden Layers	14	0%	14	Lbs
913			1-7/8" Type W Screws, Face Over Base	15	0%	15	Lbs
914			USG Acoustical Sealant, Head & Base Jts	1101	0%	1101	LF
915			Level 4 Finish	5503	0%	5503	SF
			Interior Wall A-1-6 H=10'-0"				
916	A2.1-A2.16	T-1.4	Interior Wall A-1-6 H=10'-0"	163	5%	171.43	LF.Wall
917			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	3429	0%	3429	SF
918			4'x8'x5/8" Type X GB Sheet	108	0%	108	Sheets
919			500' Tape Roll, Face Layers Only	7	0%	7	Rolls
920			1-1/4" Type W Screws, Face Layers	19	0%	19	Lbs
921			Fire-Rated Sealant, Head & Base Jts	686	0%	686	LF
922			Level 4 Finish	3429	0%	3429	SF
			Interior Wall A-1-6 H=10'-0" [1MR]				
923	A2.1-A2.16	T-1.4	Interior Wall A-1-6	28	5%	29.38	LF.Wall
924			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	294	0%	294	SF
925			(1) Face Layer 5/8" Type X GB, One Side, H=10'	294	0%	294	SF
926			4'x8'x5/8" Type X MR GB Sheet	10	0%	10	Sheets
927			4'x8'x5/8" Type X GB Sheet	10	0%	10	Sheets
928			500' Tape Roll, Face Layers Only	2	0%	2	Rolls
929			1-1/4" Type W Screws, Face Layers	4	0%	4	Lbs

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
930			Fire-Rated Sealant, Head & Base Jts	118	0%	118	LF
931			Level 4 Finish	588	0%	588	SF
			Interior Wall A-1-6 H=10'-0" [2MR]				
932	A2.1-A2.16	T-1.4	Interior Wall A-1-6	141	5%	148.30	LF.Wall
933			(1) Face Layer 5/8" Type X MR GB, Both Sides, H=10'	2966	0%	2966	SF
934			4'x8'x5/8" Type X MR GB Sheet	93	0%	93	Sheets
935			500' Tape Roll, Face Layers Only	6	0%	6	Rolls
936			1-1/4" Type W Screws, Face Layers	16	0%	16	Lbs
937			Fire-Rated Sealant, Head & Base Jts	594	0%	594	LF
938			Level 4 Finish	2966	0%	2966	SF
			Interior Wall A-1-6 H=10'-0" [TB Both Sides]				
939	A2.1-A2.16	T-1.4	Interior Wall A-1-6	57	5%	60.13	LF.Wall
940			(1) Face Layer 1/2" Tile Backer Board, Both Sides, H=10'	1203	0%	1203	SF
941			3'x5'x1/2" Tile Backer Board	81	0%	81	Sheets
942			1-1/4" Backer Screws	7	0%	7	Lbs
			Interior Wall A-1-6P H=10'-0"				
943	A2.1-A2.16	T-1.4	Interior Wall A-1-6P H=10'-0"	530	5%	556.50	LF.Wall
944			(1) Face Layer 5/8" Type X GB, One Side, H=10'	5565	0%	5565	SF
945			(1) Hidden Layer 5/8" Type X GB, One Side, H=10'	5565	0%	5565	SF
946			(1) Face Layer 5/8" Type X GB, One Side, H=10'	5565	0%	5565	SF
947			12' Resilient Channel @ 24" O.C., One Side	232	0%	232	EA
948			4'x8'x5/8" Type X GB Sheet	522	0%	522	Sheets
949			500' Tape Roll, Face Layers Only	23	0%	23	Rolls
950			1-1/4" Type W Screws, Face Layers	30	0%	30	Lbs
951			6d Cement Coated Nails, Hidden Layers	28	0%	28	Lbs
952			1-7/8" Type W Screws, Face Over Base	30	0%	30	Lbs
953			Fire-Rated Sealant, Head & Base Jts	2227	0%	2227	LF
954			Level 4 Finish	11130	0%	11130	SF
			Interior Wall C-1-6 H=10'-0"				
955	A2.1-A2.16	T-1.4	Interior Wall C-1-6 H=10'-0"	306	5%	321.70	LF.Wall
956			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	6434	0%	6434	SF
957			4'x8'x5/8" Type X GB Sheet	202	0%	202	Sheets
958			500' Tape Roll, Face Layers Only	13	0%	13	Rolls
959			1-1/4" Type W Screws, Face Layers	34	0%	34	Lbs
960			Fire-Rated Sealant, Head & Base Jts	1287	0%	1287	LF
961			Level 4 Finish	6434	0%	6434	SF
			C-1-6 10'-0" + E-1-6 BTW Trusses 9'-8" [2/T-1.5]				
962	A2.1-A2.16	2/T-1.5	C-1-6 10'-0" + E-1-6 BTW Trusses 9'-8"	9	5%	9.78	LF.Wall
963			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	196	0%	196	SF
964			(1) Face Layer 5/8" Type X GB, Both Sides, H=9.67'	189	0%	189	SF
965			4'x8'x5/8" Type X GB Sheet	13	0%	13	Sheets
966			500' Tape Roll, Face Layers Only	1	0%	1	Rolls

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
967			1-1/4" Type W Screws, Face Layers	3	0%	3	Lbs
968			Fire-Rated Sealant, Head & Base Jts	40	0%	40	LF
969			Level 4 Finish	196	0%	196	SF
970			Level 1 Fire Taping	189	0%	189	SF
			C-1-6 10'-0" + F-2-6 BTW Trusses 9'-8" [1/T-1.5]				
971	A2.1-A2.16	1/T-1.5	C-1-6 10'-0" + F-2-6 BTW Trusses 9'-8"	2	5%	2.41	LF.Wall
972			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	48	0%	48	SF
973			(1) Face Layer 5/8" Type X GB, Both Sides, H=9.67'	47	0%	47	SF
974			(1) Hidden Layer 5/8" Type X GB, Both Sides, H=9.67'	47	0%	47	SF
975			4'x8'x5/8" Type X GB Sheet	5	0%	5	Sheets
976			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
977			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
978			1-7/8" Type W Screws, Face Over Base	1	0%	1	Lbs
979			6d Cement Coated Nails, Hidden Layers	1	0%	1	Lbs
980			Fire-Rated Sealant, Head & Base Jts	10	0%	10	LF
981			Level 4 Finish	48	0%	48	SF
982			Level 1 Fire Taping	47	0%	47	SF
			C-1-6 10'-0" [TB4.5+MR5.5] + E-1-6 Above [2/T-1.5]				
983	A2.1-A2.16	2/T-1.5	C-1-6 10'-0" + E-1-6 9'-8"	23	5%	23.70	LF.Wall
984			(1) Face Layer 5/8" Type X MR GB, One Side, H=5'.6"	130	0%	130	SF
985			(1) Face Layer 1/2" Tile Backer Board, One Side, H=4.5'	107	0%	107	SF
986			(1) Face Layer 5/8" Type X GB, One Side, H=10'	237	0%	237	SF
987			(1) Face Layer 5/8" Type X GB, Both Sides, H=9.67'	458	0%	458	SF
988			4'x8'x5/8" Type X MR GB Sheet	5	0%	5	Sheets
989			3'x5'x1/2" Tile Backer Board	8	0%	8	Sheets
990			4'x8'x5/8" Type X GB Sheet	22	0%	22	Sheets
991			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
992			1-1/4" Type W Screws, Face Layers	5	0%	5	Lbs
993			1-1/4" Backer Screws	1	0%	1	Lbs
994			Fire-Rated Sealant, Head & Base Jts	95	0%	95	LF
995			Level 4 Finish	367	0%	367	SF
996			Level 1 Fire Taping	458	0%	458	SF
			Interior Wall C-1-6 H=10'-0" [1MR]				
997	A2.1-A2.16	T-1.4	Interior Wall C-1-6	125	5%	130.75	LF.Wall
998			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	1308	0%	1308	SF
999			(1) Face Layer 5/8" Type X GB, One Side, H=10'	1308	0%	1308	SF
1000			4'x8'x5/8" Type X MR GB Sheet	41	0%	41	Sheets
1001			4'x8'x5/8" Type X GB Sheet	41	0%	41	Sheets
1002			500' Tape Roll, Face Layers Only	6	0%	6	Rolls
1003			1-1/4" Type W Screws, Face Layers	14	0%	14	Lbs
1004			Fire-Rated Sealant, Head & Base Jts	524	0%	524	LF
1005			Level 4 Finish	2615	0%	2615	SF
			C-1-6 H=10'-0" [1MR] + C-1-T1 Corridor Side 9'-8" [7,8/A-6.0]				

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1006	A2.1-A2.16	7,8/A-6.0	C-1-6 H=10'-0" + C-1-T1 Corridor Side 9'-8"	489	5%	513.28	LF.Wall
1007			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	5133	0%	5133	SF
1008			(1) Face Layer 5/8" Type X GB, One Side, H=10'	5133	0%	5133	SF
1009			(1) Face Layer 5/8" Type X GB, One Side, H=9.67'	4963	0%	4963	SF
1010			(1) Hidden Layer 5/8" Type X GB, One Side, H=9.67'	4963	0%	4963	SF
1011			4'x8'x5/8" Type X MR GB Sheet	161	0%	161	Sheets
1012			4'x8'x5/8" Type X GB Sheet	471	0%	471	Sheets
1013			500' Tape Roll, Face Layers Only	21	0%	21	Rolls
1014			1-1/4" Type W Screws, Face Layers	54	0%	54	Lbs
1015			1-7/8" Type W Screws, Face Over Base	27	0%	27	Lbs
1016			6d Cement Coated Nails, Hidden Layers	25	0%	25	Lbs
1017			Fire-Rated Sealant, Head & Base Jts	2054	0%	2054	LF
1018			Level 4 Finish	10266	0%	10266	SF
1019			Level 1 Fire Taping	4963	0%	4963	SF
			Interior Wall C-1-6 H=10'-0" [2MR]				
1020	A2.1-A2.16	T-1.4	Interior Wall C-1-6	10	5%	10.54	LF.Wall
1021			(1) Face Layer 5/8" Type X MR GB, Both Sides, H=10'	211	0%	211	SF
1022			4'x8'x5/8" Type X MR GB Sheet	7	0%	7	Sheets
1023			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1024			1-1/4" Type W Screws, Face Layers	2	0%	2	Lbs
1025			Fire-Rated Sealant, Head & Base Jts	43	0%	43	LF
1026			Level 4 Finish	211	0%	211	SF
			C-1-6 H=10'-0" [TB 1 Side 4.5 + MR 5.5]				
1027	A2.1-A2.16	T-1.4	C-1-6	36	5%	37.80	LF.Wall
1028			(1) Face Layer 5/8" Type X MR GB, One Side, H=5'-6'	208	0%	208	SF
1029			(1) Face Layer 1/2" Tile Backer Board, One Side, H=4.5'	170	0%	170	SF
1030			(1) Face Layer 5/8" Type X GB, One Side, H=10'	378	0%	378	SF
1031			4'x8'x5/8" Type X MR GB Sheet	7	0%	7	Sheets
1032			3'x5'x1/2" Tile Backer Board	12	0%	12	Sheets
1033			4'x8'x5/8" Type X GB Sheet	12	0%	12	Sheets
1034			500' Tape Roll, Face Layers Only	2	0%	2	Rolls
1035			1-1/4" Type W Screws, Face Layers	4	0%	4	Lbs
1036			1-1/4" Backer Screws	1	0%	1	Lbs
1037			Fire-Rated Sealant, Head & Base Jts	152	0%	152	LF
1038			Level 4 Finish	586	0%	586	SF
			C-1-6 10'-0" [TB 4.5+MR5.5] + F-2-6 9'-8" Above [1/T-1.5]				
1039	A2.1-A2.16	1/T-1.5	C-1-6 10'-0" + F-2-6 9'-8"	18	5%	18.49	LF.Wall
1040			(1) Face Layer 5/8" Type X MR GB, One Side, H=5'-6"	102	0%	102	SF
1041			(1) Face Layer 1/2" Tile Backer Board, One Side, H=4.5'	83	0%	83	SF
1042			(1) Face Layer 5/8" Type X GB, One Side, H=10'	185	0%	185	SF
1043			(1) Face Layer 5/8" Type X GB, Both Sides, H=9.67'	358	0%	358	SF
1044			(1) Hidden Layer 5/8" Type X GB, Both Sides, H=9.67'	358	0%	358	SF
1045			4'x8'x5/8" Type X MR GB Sheet	4	0%	4	Sheets
1046			3'x5'x1/2" Tile Backer Board	6	0%	6	Sheets

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1047			4'x8'x5/8" Type X GB Sheet	29	0%	29	Sheets
1048			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1049			1-1/4" Type W Screws, Face Layers	2	0%	2	Lbs
1050			1-1/4" Backer Screws	1	0%	1	Lbs
1051			1-7/8" Type W Screws, Face Over Base	2	0%	2	Lbs
1052			6d Cement Coated Nails, Hidden Layers	2	0%	2	Lbs
1053			Fire-Rated Sealant, Head & Base Jts	74	0%	74	LF
1054			Level 4 Finish	287	0%	287	SF
1055			Level 1 Fire Taping	358	0%	358	SF
			C-1-6 10'-0" + C-1-T1 Nurse Station Side 10'-3" [7,8/A-6.0]				
1056	A2.1-A2.16	7,8/A-6.0	C-1-6 10'-0" + C-1-T1 Nurse Station Side 10'-3"	66	5%	69.42	LF.Wall
1057			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	1388	0%	1388	SF
1058			(1) Face Layer 5/8" Type X GB, One Side, H=10.25'	712	0%	712	SF
1059			(1) Hidden Layer 5/8" Type X GB, One Side, H=10.25'	712	0%	712	SF
1060			4'x8'x5/8" Type X GB Sheet	88	0%	88	Sheets
1061			500' Tape Roll, Face Layers Only	3	0%	3	Rolls
1062			1-1/4" Type W Screws, Face Layers	8	0%	8	Lbs
1063			1-7/8" Type W Screws, Face Over Base	4	0%	4	Lbs
1064			6d Cement Coated Nails, Hidden Layers	4	0%	4	Lbs
1065			Fire-Rated Sealant, Head & Base Jts	278	0%	278	LF
1066			Level 4 Finish	1388	0%	1388	SF
1067			Level 1 Fire Taping	712	0%	712	SF
			C-1-6P 10'-0" + C-1-T1 Corridor Side 9'-8" [7,8/A-6.0]				
1068	A2.1-A2.16	7,8/A-6.0	C-1-6P 10'-0" + C-1-T1 Corridor Side 9'-8"	297	5%	311.98	LF.Wall
1069			(1) Face Layer 5/8" Type X GB, One Side, H=10'	3120	0%	3120	SF
1070			(1) Hidden Layer 5/8" Type X GB, One Side, H=10'	3120	0%	3120	SF
1071			(1) Face Layer 5/8" Type X GB, One Side, H=10'	3120	0%	3120	SF
1072			(1) Face Layer 5/8" Type X GB, One Side, H=9.67'	3017	0%	3017	SF
1073			(1) Hidden Layer 5/8" Type X GB, One Side, H=9.67'	3017	0%	3017	SF
1074			12' Resilient Channel @ 24" O.C., One Side	130	0%	130	EA
1075			4'x8'x5/8" Type X GB Sheet	482	0%	482	Sheets
1076			500' Tape Roll, Face Layers Only	13	0%	13	Rolls
1077			1-1/4" Type W Screws, Face Layers	17	0%	17	Lbs
1078			6d Cement Coated Nails, Hidden Layers	31	0%	31	Lbs
1079			1-7/8" Type W Screws, Face Over Base	33	0%	33	Lbs
1080			Fire-Rated Sealant, Head & Base Jts	1248	0%	1248	LF
1081			Level 4 Finish	6240	0%	6240	SF
1082			Level 1 Fire Taping	3017	0%	3017	SF
			D-1-6 10'-0" + E-2-6 BTW Trusses 3' [11/T-1.5]				
1083	A2.1-A2.16	11/T-1.5	D-1-6 10'-0" + E-2-6 BTW Trusses 3'	15	5%	15.28	LF.Wall
1084			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	306	0%	306	SF
1085			(1) Face Layer 5/8" Type X GB, Both Sides, H=3'	92	0%	92	SF
1086			(1) Hidden Layer 5/8" Type X GB, Both Sides, H=3'	92	0%	92	SF
1087			4'x8'x5/8" Type X GB Sheet	16	0%	16	Sheets

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1088			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1089			1-1/4" Type W Screws, Face Layers	2	0%	2	Lbs
1090			1-7/8" Type W Screws, Face Over Base	1	0%	1	Lbs
1091			6d Cement Coated Nails, Hidden Layers	1	0%	1	Lbs
1092			Fire-Rated Sealant, Head & Base Jts	62	0%	62	LF
1093			Level 4 Finish	306	0%	306	SF
1094			Level 1 Fire Taping	92	0%	92	SF
			D-1-6 10'-0" [1MR] + E-2-6 above 3' [11/T-1.5]				
1095	A2.1-A2.16	11/T-1.5	D-1-6 10'-0" + E-2-6 above 3'	8	5%	8.36	LF.Wall
1096			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	84	0%	84	SF
1097			(1) Face Layer 5/8" Type X GB, One Side, H=10'	84	0%	84	SF
1098			(1) Face Layer 5/8" Type X GB, Both Sides, H=3'	50	0%	50	SF
1099			(1) Hidden Layer 5/8" Type X GB, Both Sides, H=3'	50	0%	50	SF
1100			4'x8'x5/8" Type X MR GB Sheet	3	0%	3	Sheets
1101			4'x8'x5/8" Type X GB Sheet	6	0%	6	Sheets
1102			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1103			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
1104			1-7/8" Type W Screws, Face Over Base	1	0%	1	Lbs
1105			6d Cement Coated Nails, Hidden Layers	1	0%	1	Lbs
1106			Fire-Rated Sealant, Head & Base Jts	34	0%	34	LF
1107			Level 4 Finish	167	0%	167	SF
1108			Level 1 Fire Taping	50	0%	50	SF
			D-1-6 10'-0" [TB 1 Side] + E-2-6 Above 3' [11/T-1.5]				
1109	A2.1-A2.16	11/T-1.5	D-1-6 10'-0" + E-2-6 above 3'	3	5%	3.51	LF.Wall
1110			(1) Face Layer 1/2" Tile Backer Board, One Side, H=10'	35	0%	35	SF
1111			(1) Face Layer 5/8" Type X GB, One Sides, H=10'	35	0%	35	SF
1112			(1) Face Layer 5/8" Type X GB, Both Sides, H=3'	21	0%	21	SF
1113			(1) Hidden Layer 5/8" Type X GB, Both Sides, H=3'	21	0%	21	SF
1114			3'x5'x1/2" Tile Backer Board	3	0%	3	Sheets
1115			4'x8'x5/8" Type X GB Sheet	3	0%	3	Sheets
1116			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1117			1-1/4" Backer Screws	1	0%	1	Lbs
1118			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
1119			1-7/8" Type W Screws, Face Over Base	1	0%	1	Lbs
1120			6d Cement Coated Nails, Hidden Layers	1	0%	1	Lbs
1121			Fire-Rated Sealant, Head & Base Jts	15	0%	15	LF
1122			Level 4 Finish	35	0%	35	SF
1123			Level 1 Fire Taping	21	0%	21	SF
			D-1-6 H=13' [1MR H=10'] [9/T-1.5]				
1124	A2.1-A2.16	9/T-1.5	D-1-6 H=13'	20	5%	21.00	LF.Wall
1125			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	210	0%	210	SF
1126			(1) Face Layer 5/8" Type X GB, One Side above MR, H=3'	63	0%	63	SF
1127			(1) Face Layer 5/8" Type X GB, One Side, H=13'	273	0%	273	SF
1128			4'x8'x5/8" Type X MR GB Sheet	7	0%	7	Sheets

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1129			4'x8'x5/8" Type X GB Sheet	11	0%	11	Sheets
1130			500' Tape Roll, Face Layers Only	2	0%	2	Rolls
1131			1-1/4" Type W Screws, Face Layers	3	0%	3	Lbs
1132			Fire-Rated Sealant, Head & Base Jts	84	0%	84	LF
1133			Level 4 Finish	483	0%	483	SF
1134			Level 1 Fire Taping	63	0%	63	SF
			D-1-6 H=13' [1MR 10', Other TB4.5+MR5.5] [9/T-1.5]				
1135	A2.1-A2.16	9/T-1.5	D-1-6 H=13'	25	5%	25.86	LF.Wall
1136			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	259	0%	259	SF
1137			(1) Face Layer 5/8" Type X GB, One Side above MR, H=3'	78	0%	78	SF
1138			(1) Face Layer 5/8" Type X MR GB, One Side, H=5'.6"	142	0%	142	SF
1139			(1) Face Layer 1/2" Tile Backer Board, One Side, H=4.5'	116	0%	116	SF
1140			(1) Face Layer 5/8" Type X GB, One Side, H=3'	78	0%	78	SF
1141			4'x8'x5/8" Type X MR GB Sheet	13	0%	13	Sheets
1142			4'x8'x5/8" Type X GB Sheet	5	0%	5	Sheets
1143			3'x5'x1/2" Tile Backer Board	8	0%	8	Sheets
1144			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1145			1-1/4" Type W Screws, Face Layers	3	0%	3	Lbs
1146			1-1/4" Backer Screws	1	0%	1	Lbs
1147			Fire-Rated Sealant, Head & Base Jts	104	0%	104	LF
1148			Level 4 Finish	401	0%	401	SF
1149			Level 1 Fire Taping	155	0%	155	SF
			D-1-6 H=13' [9/T-1.5]				
1150	A2.1-A2.16	9/T-1.5	D-1-6 H=13'	61	5%	63.69	LF.Wall
1151			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	1274	0%	1274	SF
1152			(1) Face Layer 5/8" Type X GB, Both Sides, H=3'	382	0%	382	SF
1153			4'x8'x5/8" Type X GB Sheet	52	0%	52	Sheets
1154			500' Tape Roll, Face Layers Only	3	0%	3	Rolls
1155			1-1/4" Type W Screws, Face Layers	9	0%	9	Lbs
1156			Fire-Rated Sealant, Head & Base Jts	255	0%	255	LF
1157			Level 4 Finish	1274	0%	1274	SF
1158			Level 1 Fire Taping	382	0%	382	SF
			D-1-6 H=13' [TB 1 Side H=10'] [9/T-1.5]				
1159	A2.1-A2.16	9/T-1.5	D-1-6 H=13'	13	5%	13.54	LF.Wall
1160			(1) Face Layer 1/2" Tile Backer Board, One Side, H=10'	135	0%	135	SF
1161			(1) Face Layer 5/8" Type X GB, One Side, H=10'	135	0%	135	SF
1162			(1) Face Layer 5/8" Type X GB, Both Sides, H=3'	81	0%	81	SF
1163			3'x5'x1/2" Tile Backer Board	10	0%	10	Sheets
1164			4'x8'x5/8" Type X GB Sheet	7	0%	7	Sheets
1165			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1166			1-1/4" Backer Screws	1	0%	1	Lbs
1167			1-1/4" Type W Screws, Face Layers	2	0%	2	Lbs
1168			Fire-Rated Sealant, Head & Base Jts	55	0%	55	LF
1169			Level 4 Finish	135	0%	135	SF

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1170			Level 1 Fire Taping	81	0%	81	SF
			D-1-6 H=13' [TB 10' + Other 1MR 10'] [9/T-1.5]				
1171	A2.1-A2.16	9/T-1.5	D-1-6 H=13'	3	5%	3.23	LF.Wall
1172			(1) Face Layer 1/2" Tile Backer Board, One Side, H=10'	32	0%	32	SF
1173			(1) Face Layer 5/8" Type X GB, One Side, H=3'	10	0%	10	SF
1174			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	32	0%	32	SF
1175			(1) Face Layer 5/8" Type X GB, One Side, H=3'	10	0%	10	SF
1176			3'x5'x1/2" Tile Backer Board	3	0%	3	Sheets
1177			4'x8'x5/8" Type X GB Sheet	1	0%	1	Sheets
1178			4'x8'x5/8" Type X MR GB Sheet	2	0%	2	Sheets
1179			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1180			1-1/4" Backer Screws	1	0%	1	Lbs
1181			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
1182			Fire-Rated Sealant, Head & Base Jts	13	0%	13	LF
1183			Level 4 Finish	32	0%	32	SF
1184			Level 1 Fire Taping	19	0%	19	SF
			D-1-6 H=3' above beams BTW Trusses [9/T-1.5]				
1185	A2.1-A2.16	9/T-1.5	D-1-6 H=3' BTW Trusses	25	5%	26.13	LF.Wall
1186			(1) Face Layer 5/8" Type X GB, Both Sides, H=3'	157	0%	157	SF
1187			4'x8'x5/8" Type X GB Sheet	5	0%	5	Sheets
1188			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
1189			Fire-Rated Sealant, Head & Base Jts	53	0%	53	LF
1190			Level 1 Fire Taping	157	0%	157	SF
			D-1-6P H=13' [1MR H=10'] [9/T-1.5]				
1191	A2.1-A2.16	9/T-1.5	D-1-6P H=13'	16	5%	17.29	LF.Wall
1192			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	173	0%	173	SF
1193			(1) Face Layer 5/8" Type X GB, One Side, H=3'	52	0%	52	SF
1194			(1) Hidden Layer 5/8" Type X GB, One Side, H=13'	225	0%	225	SF
1195			(1) Face Layer 5/8" Type X GB, One Side, H=10'	173	0%	173	SF
1196			(1) Face Layer 5/8" Type X GB, One Side, H=3'	52	0%	52	SF
1197			12' Resilient Channel @ 24" O.C., One Side	7	0%	7	EA
1198			4'x8'x5/8" Type X MR GB Sheet	6	0%	6	Sheets
1199			4'x8'x5/8" Type X GB Sheet	16	0%	16	Sheets
1200			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1201			1-1/4" Type W Screws, Face Layers	2	0%	2	Lbs
1202			6d Cement Coated Nails, Hidden Layers	2	0%	2	Lbs
1203			1-7/8" Type W Screws, Face Over Base	2	0%	2	Lbs
1204			Fire-Rated Sealant, Head & Base Jts	70	0%	70	LF
1205			Level 4 Finish	346	0%	346	SF
1206			Level 1 Fire Taping	104	0%	104	SF
			Interior Wall E-1-6 H=10'-0"				
1207	A2.1-A2.16	T-1.4	Interior Wall E-1-6 H=10'-0"	52	5%	54.15	LF.Wall
1208			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	1083	0%	1083	SF

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1209			4'x8'x5/8" Type X GB Sheet	34	0%	34	Sheets
1210			500' Tape Roll, Face Layers Only	3	0%	3	Rolls
1211			1-1/4" Type W Screws, Face Layers	6	0%	6	Lbs
1212			Fire-Rated Sealant, Head & Base Jts	217	0%	217	LF
1213			Level 4 Finish	1083	0%	1083	SF
			E-1-6 H=10'-0" [1MR 5.5 + TB 4.5]				
1214	A2.1-A2.16	T-1.4	E-1-6 H=10'-0"	22	5%	23.59	LF.Wall
1215			(1) Face Layer 5/8" Type X MR GB, One Side, H=5'-6"	130	0%	130	SF
1216			(1) Face Layer 1/2" Tile Backer Board, One Side, H=4.5'	106	0%	106	SF
1217			(1) Face Layer 5/8" Type X GB, One Side, H=10'	236	0%	236	SF
1218			4'x8'x5/8" Type X MR GB Sheet	5	0%	5	Sheets
1219			3'x5'x1/2" Tile Backer Board	8	0%	8	Sheets
1220			4'x8'x5/8" Type X GB Sheet	8	0%	8	Sheets
1221			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1222			1-1/4" Type W Screws, Face Layers	2	0%	2	Lbs
1223			1-1/4" Backer Screws	1	0%	1	Lbs
1224			Fire-Rated Sealant, Head & Base Jts	95	0%	95	LF
1225			Level 4 Finish	366	0%	366	SF
			E-1-6 H=10'-0"[1MR]				
1226	A2.1-A2.16	T-1.4	E-1-6 H=10'-0"	4	5%	3.75	LF.Wall
1227			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	37	0%	37	SF
1228			(1) Face Layer 5/8" Type X GB, One Side, H=10'	37	0%	37	SF
1229			4'x8'x5/8" Type X MR GB Sheet	2	0%	2	Sheets
1230			4'x8'x5/8" Type X GB Sheet	2	0%	2	Sheets
1231			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1232			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
1233			Fire-Rated Sealant, Head & Base Jts	15	0%	15	LF
1234			Level 4 Finish	75	0%	75	SF
			E-1-6 H=13' [13/T-1.5]				
1235	A2.1-A2.16	13/T-1.5	E-1-6 H=13'	25	5%	26.17	LF.Wall
1236			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	523	0%	523	SF
1237			(1) Face Layer 5/8" Type X GB, Both Sides, H=3'	157	0%	157	SF
1238			4'x8'x5/8" Type X GB Sheet	22	0%	22	Sheets
1239			500' Tape Roll, Face Layers Only	2	0%	2	Rolls
1240			1-1/4" Type W Screws, Face Layers	4	0%	4	Lbs
1241			Fire-Rated Sealant, Head & Base Jts	105	0%	105	LF
1242			Level 4 Finish	523	0%	523	SF
1243			Level 1 Fire Taping	157	0%	157	SF
			E-1-6 BTW Trusses H=9'-8" [4/T-1.5]				
1244	A2.1-A2.16	4/T-1.5	E-1-6 BTW Trusses H=9'-8"	12	5%	12.15	LF.Wall
1245			(1) Face Layer 5/8" Type X GB, Both Sides, H=9.67'	235	0%	235	SF
1246			4'x8'x5/8" Type X GB Sheet	8	0%	8	Sheets
1247			1-1/4" Type W Screws, Face Layers	2	0%	2	Lbs

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1248			Fire-Rated Sealant, Head & Base Jts	25	0%	25	LF
1249			Level 1 Fire Taping	235	0%	235	SF
			E-2-6 H=13' [10/T-1.5]				
1250	A2.1-A2.16	10/T-1.5	E-2-6 H=13'	37	5%	39.17	LF.Wall
1251			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	783	0%	783	SF
1252			(1) Face Layer 5/8" Type X GB, Both Sides, H=3'	235	0%	235	SF
1253			(1) Hidden Layer 5/8" Type X GB, Both Sides, H=13'	1018	0%	1018	SF
1254			4'x8'x5/8" Type X GB Sheet	64	0%	64	Sheets
1255			500' Tape Roll, Face Layers Only	2	0%	2	Rolls
1256			1-7/8" Type W Screws, Face Over Base	6	0%	6	Lbs
1257			6d Cement Coated Nails, Hidden Layers	6	0%	6	Lbs
1258			Fire-Rated Sealant, Head & Base Jts	157	0%	157	LF
1259			Level 4 Finish	783	0%	783	SF
1260			Level 1 Fire Taping	235	0%	235	SF
			Interior Wall F-1-4 H=10'-0"				
1261	A2.1-A2.16	T-1.4	Interior Wall F-1-4 H=10'-0"	37	5%	39.08	LF.Wall
1262			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	782	0%	782	SF
1263			4'x8'x5/8" Type X GB Sheet	25	0%	25	Sheets
1264			500' Tape Roll, Face Layers Only	2	0%	2	Rolls
1265			1-1/4" Type W Screws, Face Layers	5	0%	5	Lbs
1266			Fire-Rated Sealant, Head & Base Jts	157	0%	157	LF
1267			Level 4 Finish	782	0%	782	SF
			F-1-4 H=10'-0" [1MR]				
1268	A2.1-A2.16	T-1.4	F-1-4	17	5%	17.91	LF.Wall
1269			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	179	0%	179	SF
1270			(1) Face Layer 5/8" Type X GB, One Side, H=10'	179	0%	179	SF
1271			4'x8'x5/8" Type X MR GB Sheet	6	0%	6	Sheets
1272			4'x8'x5/8" Type X GB Sheet	6	0%	6	Sheets
1273			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1274			1-1/4" Type W Screws, Face Layers	2	0%	2	Lbs
1275			Fire-Rated Sealant, Head & Base Jts	72	0%	72	LF
1276			Level 4 Finish	358	0%	358	SF
			Interior Wall F-1-6 H=10'-0"				
1277	A2.1-A2.16	T-1.4	Interior Wall F-1-6 H=10'-0"	199	5%	208.96	LF.Wall
1278			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	4179	0%	4179	SF
1279			4'x8'x5/8" Type X GB Sheet	131	0%	131	Sheets
1280			500' Tape Roll, Face Layers Only	9	0%	9	Rolls
1281			1-1/4" Type W Screws, Face Layers	22	0%	22	Lbs
1282			Fire-Rated Sealant, Head & Base Jts	836	0%	836	LF
1283			Level 4 Finish	4179	0%	4179	SF
			F-1-6 H=10'-0" [1MR 5.5 + TB 4.5]				
1284	A2.1-A2.16	T-1.4	F-1-6	6	5%	5.99	LF.Wall

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1285			(1) Face Layer 5/8" Type X MR GB, One Side, H=5'.6"	33	0%	33	SF
1286			(1) Face Layer 1/2" Tile Backer Board, One Side, H=4.5'	27	0%	27	SF
1287			(1) Face Layer 5/8" Type X GB, One Side, H=10'	60	0%	60	SF
1288			4'x8'x5/8" Type X MR GB Sheet	2	0%	2	Sheets
1289			3'x5'x1/2" Tile Backer Board	2	0%	2	Sheets
1290			4'x8'x5/8" Type X GB Sheet	2	0%	2	Sheets
1291			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1292			1-1/4" Type W Screws, Face Layers	1	0%	1	Lbs
1293			1-1/4" Backer Screws	1	0%	1	Lbs
1294			Fire-Rated Sealant, Head & Base Jts	24	0%	24	LF
1295			Level 4 Finish	93	0%	93	SF

			F-1-6 H=10'-0" [1MR]				
1296	A2.1-A2.16	T-1.4	F-1-6	11	5%	11.82	LF.Wall
1297			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	118	0%	118	SF
1298			(1) Face Layer 5/8" Type X GB, One Side, H=10'	118	0%	118	SF
1299			4'x8'x5/8" Type X MR GB Sheet	4	0%	4	Sheets
1300			4'x8'x5/8" Type X GB Sheet	4	0%	4	Sheets
1301			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1302			1-1/4" Type W Screws, Face Layers	2	0%	2	Lbs
1303			Fire-Rated Sealant, Head & Base Jts	48	0%	48	LF
1304			Level 4 Finish	236	0%	236	SF

			F-2-4 H=10'-0" [1MR 5.5 + TB 4.5]				
1305	A2.1-A2.16	T-1.4	F-2-4	6	5%	5.89	LF.Wall
1306			(1) Face Layer 5/8" Type X MR GB, One Side, H=5'.6"	32	0%	32	SF
1307			(1) Face Layer 1/2" Tile Backer Board, One Side, H=4.5'	27	0%	27	SF
1308			(1) Hidden Layer 5/8" Type X GB, One Side, H=10'	59	0%	59	SF
1309			(1) Face Layer 5/8" Type X GB, One Side, H=10'	59	0%	59	SF
1310			(1) Hidden Layer 5/8" Type X GB, One Side, H=10'	59	0%	59	SF
1311			4'x8'x5/8" Type X MR GB Sheet	2	0%	2	Sheets
1312			3'x5'x1/2" Tile Backer Board	2	0%	2	Sheets
1313			4'x8'x5/8" Type X GB Sheet	6	0%	6	Sheets
1314			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1315			1-7/8" Type W Screws, Face Over Base	1	0%	1	Lbs
1316			1-1/4" Backer Screws	1	0%	1	Lbs
1317			6d Cement Coated Nails, Hidden Layers	1	0%	1	Lbs
1318			Fire-Rated Sealant, Head & Base Jts	24	0%	24	LF
1319			Level 4 Finish	91	0%	91	SF
1320			Level 1 Fire Taping	118	0%	118	SF

			F-2-4 H=10'-0" Furring [1MR]				
1321	A2.1-A2.16	T-1.4	F-2-4 Furring	6	5%	6.23	LF.Wall
1322			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	62	0%	62	SF
1323			(1) Hidden Layer 5/8" Type X GB, One Side, H=10'	62	0%	62	SF
1324			4'x8'x5/8" Type X MR GB Sheet	2	0%	2	Sheets
1325			4'x8'x5/8" Type X GB Sheet	2	0%	2	Sheets

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1326			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1327			1-7/8" Type W Screws, Face Over Base	1	0%	1	Lbs
1328			6d Cement Coated Nails, Hidden Layers	1	0%	1	Lbs
1329			Fire-Rated Sealant, Head & Base Jts	13	0%	13	LF
1330			Level 4 Finish	62	0%	62	SF
1331			Level 1 Fire Taping	62	0%	62	SF
			Interior Wall F-2-6 H=10'-0"				
1332	A2.1-A2.16	T-1.4	Interior Wall F-2-6 H=10'-0"	32	5%	33.95	LF.Wall
1333			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	679	0%	679	SF
1334			(1) Hidden Layer 5/8" Type X GB, Both Sides, H=10'	679	0%	679	SF
1335			4'x8'x5/8" Type X GB Sheet	43	0%	43	Sheets
1336			500' Tape Roll, Face Layers Only	2	0%	2	Rolls
1337			1-7/8" Type W Screws, Face Over Base	4	0%	4	Lbs
1338			6d Cement Coated Nails, Hidden Layers	4	0%	4	Lbs
1339			Fire-Rated Sealant, Head & Base Jts	136	0%	136	LF
1340			Level 4 Finish	679	0%	679	SF
1341			Level 1 Fire Taping	679	0%	679	SF
			F-2-6 H=10' [15/T-1.5]				
1342	A2.1-A2.16	15/T-1.5	F-2-6 H=10'	39	5%	40.69	LF.Wall
1343			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	814	0%	814	SF
1344			(1) Hidden Layer 5/8" Type X GB, Both Sides, H=10'	814	0%	814	SF
1345			4'x8'x5/8" Type X GB Sheet	51	0%	51	Sheets
1346			500' Tape Roll, Face Layers Only	2	0%	2	Rolls
1347			1-7/8" Type W Screws, Face Over Base	5	0%	5	Lbs
1348			6d Cement Coated Nails, Hidden Layers	5	0%	5	Lbs
1349			Fire-Rated Sealant, Head & Base Jts	163	0%	163	LF
1350			Level 4 Finish	814	0%	814	SF
1351			Level 1 Fire Taping	814	0%	814	SF
			F-2-6 H=10'-0" [1MR 5.5 + TB 4.5]				
1352	A2.1-A2.16	T-1.4	F-2-6	18	5%	18.93	LF.Wall
1353			(1) Face Layer 5/8" Type X MR GB, One Side, H=5'.6"	104	0%	104	SF
1354			(1) Face Layer 1/2" Tile Backer Board, One Side, H=4.5'	85	0%	85	SF
1355			(1) Hidden Layer 5/8" Type X GB, One Side, H=10'	189	0%	189	SF
1356			(1) Face Layer 5/8" Type X GB, One Side, H=10'	189	0%	189	SF
1357			(1) Hidden Layer 5/8" Type X GB, One Side, H=10'	189	0%	189	SF
1358			4'x8'x5/8" Type X MR GB Sheet	4	0%	4	Sheets
1359			3'x5'x1/2" Tile Backer Board	6	0%	6	Sheets
1360			4'x8'x5/8" Type X GB Sheet	18	0%	18	Sheets
1361			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1362			1-7/8" Type W Screws, Face Over Base	2	0%	2	Lbs
1363			1-1/4" Backer Screws	1	0%	1	Lbs
1364			6d Cement Coated Nails, Hidden Layers	2	0%	2	Lbs
1365			Fire-Rated Sealant, Head & Base Jts	76	0%	76	LF
1366			Level 4 Finish	293	0%	293	SF

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1367			Level 1 Fire Taping	379	0%	379	SF
			F-2-6 H=10'-0" Furring				
1368	A2.1-A2.16	T-1.4	F-2-6 Furring	5	5%	5.15	LF.Wall
1369			(1) Face Layer 5/8" Type X GB, One Side, H=10'	52	0%	52	SF
1370			(1) Hidden Layer 5/8" Type X GB, One Side, H=10'	52	0%	52	SF
1371			4'x8'x5/8" Type X GB Sheet	4	0%	4	Sheets
1372			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1373			1-7/8" Type W Screws, Face Over Base	1	0%	1	Lbs
1374			6d Cement Coated Nails, Hidden Layers	1	0%	1	Lbs
1375			Fire-Rated Sealant, Head & Base Jts	11	0%	11	LF
1376			Level 4 Finish	52	0%	52	SF
1377			Level 1 Fire Taping	52	0%	52	SF
			F-2-6 H=13' [12/T-1.5]				
1378	A2.1-A2.16	12/T-1.5	F-2-6 H=13'	3	5%	3.35	LF.Wall
1379			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	67	0%	67	SF
1380			(1) Face Layer 5/8" Type X GB, Both Sides, H=3'	20	0%	20	SF
1381			(1) Hidden Layer 5/8" Type X GB, Both Sides, H=13'	87	0%	87	SF
1382			4'x8'x5/8" Type X GB Sheet	6	0%	6	Sheets
1383			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1384			1-7/8" Type W Screws, Face Over Base	1	0%	1	Lbs
1385			6d Cement Coated Nails, Hidden Layers	1	0%	1	Lbs
1386			Fire-Rated Sealant, Head & Base Jts	14	0%	14	LF
1387			Level 4 Finish	67	0%	67	SF
1388			Level 1 Fire Taping	20	0%	20	SF
			F-2-6 H=13' [19/T-1.5]				
1389	A2.1-A2.16	19/T-1.5	F-2-6 H=13'	53	5%	55.37	LF.Wall
1390			(1) Face Layer 5/8" Type X GB, Both Sides, H=10'	1107	0%	1107	SF
1391			(1) Face Layer 5/8" Type X GB, Both Sides, H=3'	332	0%	332	SF
1392			(1) Hidden Layer 5/8" Type X GB, Both Sides, H=13'	1440	0%	1440	SF
1393			4'x8'x5/8" Type X GB Sheet	90	0%	90	Sheets
1394			500' Tape Roll, Face Layers Only	3	0%	3	Rolls
1395			1-7/8" Type W Screws, Face Over Base	8	0%	8	Lbs
1396			6d Cement Coated Nails, Hidden Layers	8	0%	8	Lbs
1397			Fire-Rated Sealant, Head & Base Jts	222	0%	222	LF
1398			Level 4 Finish	1107	0%	1107	SF
1399			Level 1 Fire Taping	332	0%	332	SF
			F-2-6 H=13' [1MR 10'] [12,19/T-1.5]				
1400	A2.1-A2.16	12,19/T-1.5	F-2-6 H=13'	42	5%	44.39	LF.Wall
1401			(1) Face Layer 5/8" Type X MR GB, One Side, H=10'	444	0%	444	SF
1402			(1) Face Layer 5/8" Type X GB, One Side, H=3'	133	0%	133	SF
1403			(1) Face Layer 5/8" Type X GB, One Side, H=10'	444	0%	444	SF
1404			(1) Face Layer 5/8" Type X GB, One Side, H=3'	133	0%	133	SF
1405			(1) Hidden Layer 5/8" Type X GB, Both Sides, H=13'	1154	0%	1154	SF

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1406			4'x8'x5/8" Type X MR GB Sheet	14	0%	14	Sheets
1407			4'x8'x5/8" Type X GB Sheet	59	0%	59	Sheets
1408			500' Tape Roll, Face Layers Only	2	0%	2	Rolls
1409			1-7/8" Type W Screws, Face Over Base	7	0%	7	Lbs
1410			6d Cement Coated Nails, Hidden Layers	6	0%	6	Lbs
1411			Fire-Rated Sealant, Head & Base Jts	178	0%	178	LF
1412			Level 4 Finish	888	0%	888	SF
1413			Level 1 Fire Taping	266	0%	266	SF
			F-2-6 H=13' [2MR 10'] [12/T-1.5]				
1414	A2.1-A2.16	12/T-1.5	F-2-6 H=13'	13	5%	13.91	LF.Wall
1415			(1) Face Layer 5/8" Type X MR GB, Both Sides, H=10'	278	0%	278	SF
1416			(1) Face Layer 5/8" Type X GB, Both Sides, H=3'	83	0%	83	SF
1417			(1) Hidden Layer 5/8" Type X GB, Both Sides, H=13'	362	0%	362	SF
1418			4'x8'x5/8" Type X MR GB Sheet	9	0%	9	Sheets
1419			4'x8'x5/8" Type X GB Sheet	14	0%	14	Sheets
1420			500' Tape Roll, Face Layers Only	1	0%	1	Rolls
1421			1-7/8" Type W Screws, Face Over Base	2	0%	2	Lbs
1422			6d Cement Coated Nails, Hidden Layers	2	0%	2	Lbs
1423			Fire-Rated Sealant, Head & Base Jts	56	0%	56	LF
1424			Level 4 Finish	278	0%	278	SF
1425			Level 1 Fire Taping	83	0%	83	SF
			C-1-T1 Corridor Side To Truss Top Chord H=9'-8" [7,8/A-6.0]				
1426	A2.1-A2.16	7,8/A-6.0	C-1-T1 Corridor Side To Truss Top Chord H=9'-8"	94	5%	98.57	LF.Wall
1427			(1) Face Layer 5/8" Type X GB, One Side, H=9.67'	953	0%	953	SF
1428			(1) Hidden Layer 5/8" Type X GB, One Side, H=9.67'	953	0%	953	SF
1429			4'x8'x5/8" Type X GB Sheet	60	0%	60	Sheets
1430			1-7/8" Type W Screws, Face Over Base	6	0%	6	Lbs
1431			6d Cement Coated Nails, Hidden Layers	5	0%	5	Lbs
1432			Fire-Rated Sealant, Head & Base Jts	198	0%	198	LF
1433			Level 1 Fire Taping	953	0%	953	SF
			C-1-T1 Nurse Station Side H=10'-3" [7,8/A-6.0]				
1434	A2.1-A2.16	7,8/A-6.0	C-1-T1 Nurse Station Side H=10'-3"	68	5%	71.82	LF.Wall
1435			(1) Face Layer 5/8" Type X GB, One Side, H=10.25'	736	0%	736	SF
1436			(1) Hidden Layer 5/8" Type X GB, One Side, H=10.25'	736	0%	736	SF
1437			4'x8'x5/8" Type X GB Sheet	47	0%	47	Sheets
1438			1-7/8" Type W Screws, Face Over Base	4	0%	4	Lbs
1439			6d Cement Coated Nails, Hidden Layers	4	0%	4	Lbs
1440			Fire-Rated Sealant, Head & Base Jts	144	0%	144	LF
1441			Level 1 Fire Taping	736	0%	736	SF
			F-2-6 BTW Trusses H=9'-8" [3/T-1.5]				
1442	A2.1-A2.16	3/T-1.5	F-2-6 BTW Trusses H=9'-8"	17	5%	17.94	LF.Wall
1443			(1) Face Layer 5/8" Type X GB, Both Sides, H=9.67'	347	0%	347	SF
1444			(1) Hidden Layer 5/8" Type X GB, Both Sides, H=9.67'	347	0%	347	SF

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1445			4'x8'x5/8" Type X GB Sheet	22	0%	22	Sheets
1446			1-7/8" Type W Screws, Face Over Base	2	0%	2	Lbs
1447			6d Cement Coated Nails, Hidden Layers	2	0%	2	Lbs
1448			Fire-Rated Sealant, Head & Base Jts	36	0%	36	LF
1449			Level 1 Fire Taping	347	0%	347	SF
			CS Parapet Wall B-1-6 DensGlass H=4'-4" [6/A-6.1]				
1450	A2.18	6/A-6.1	CS Parapet Wall B-1-6	11	5%	11.54	LF.Wall
1451			(1) Face Layer 5/8" DensGlass Sheathing, One Side, H=4.33'	50	0%	50	SF
1452			4'x8'x5/8" DensGlass Sheet	2	0%	2	Sheets
1453			1-5/8" Screws, DensGlass	1	0%	1	Lbs
1454			Level 1 Fire Taping	50	0%	50	SF
			CORNER BEAD, TRIM				
1455	A2.1-A2.16	09 2116; C1047	Metal Corner Bead 10' Sticks, Outside Corners	410	5%	431	EA
1456	A2.1-A2.16	09 2116; C1047	Metal Corner Bead 14' Sticks, Outside Corners	36	5%	38	EA
1457	A2.1-A2.16	09 2116; C1047	J/U-Bead 10' Sticks, Wall End Guards	4	5%	4	EA
			Drywall Ceiling W/Framing @ Patient Room - (48 EA)				
			Drywall				
1458	A-11.0	A-13.1	5/8" Type 'X' Gypsum Board Ceiling - (4'x8' ea.)	164	5%	172	EA
1459	A-11.0	A-13.1	5/8" Type 'X' Moisture Resistant Gypsum Board Ceiling - (4'x8' ea.)	112	5%	117	EA
1460	A-11.0	A-13.1	Drywall Level 04 Finish	15387	5%	16156	SF
			600T150-54 @ 24" O.C. Joists - 1612 LF				
1461	A-11.0	A-13.1	600T150-54 Joists @ 6'	96	5%	101	EA
1462	A-11.0	A-13.1	600T150-54 Joists @ 8'	96	5%	101	EA
1463	A-11.0	A-13.1	600T150-54 Joists @ 10'	48	5%	50	EA
1464	A-11.0	A-13.1	600T150-54 Cont. Track @ 12'	122	5%	128	EA
			400T150-54 @ 24" O.C. Joists - 1612 LF				
1465	A-11.0	A-13.1	400T150-54 Joists @ 10'	48	5%	50	EA
1466	A-11.0	A-13.1	400T150-54 Joists @ 8'	144	5%	151	EA
1467	A-11.0	A-13.1	400T150-54 Joists @ 2'	1200	5%	1260	EA
1468	A-11.0	A-13.1	400T150-54 Cont. Track @ 12'	153	5%	160	EA
1469	A-11.0	A-13.1	#10 Screws	4635	5%	4867	EA
			Gypsum Board Soffit - 14/A13.1 (1885.44 LF):				
1470	A-11.0	A-13.1	#10 Screws W1.5" Penetration	4714	5%	4949	EA
1471	A-11.0	A-13.1	#10SMS	2828	5%	2970	EA
1472	A-11.0	A-13.1	1.5"x1.5" Mil L-Angle	1885	5%	1980	LF
1473	A-11.0	A-13.1	5/8" Gypsum Board Soffit - (4'x8' ea.)	59	5%	62	EA
1474	A-11.0	A-13.1	400T150-54 Cont. Track @ 12'	157	5%	165	EA
1475	A-11.0	A-13.1	400S162-54 Joists @ 1'-4"	2715	5%	2851	EA

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
			Gypsum Board Soffit - 16/A13.1 (697 LF):				
1476	A-11.0	A-13.1	#10 Screws W1.5" Penetration	697	5%	732	EA
1477	A-11.0	A-13.1	#10SMS	1743	5%	1830	EA
1478	A-11.0	A-13.1	1.5"x1.5" Mil L-Angle	697	5%	732	LF
1479	A-11.0	A-13.1	5/8" Gypsum Board Soffit - (4'x8' ea.)	22	5%	23	EA
1480	A-11.0	A-13.1	400T150-54 Cont. Track @ 12'	58	5%	61	EA
1481	A-11.0	A-13.1	400S162-54 Joists @ 1'	349	5%	366	EA
			Drywall Ceiling W/Framing Common Areas				
			Drywall				
1482	A-10.1 to 10.6	A-13.1	5/8" Type 'X' Gypsum Board Ceiling - (4'x8' ea.)	164	5%	172	EA
1483	A-10.1 to 10.6	A-13.1	5/8" Type 'X' Moisture Resistant Gypsum Board Ceiling - (4'x8' ea.)	19	5%	20	EA
1484	A-2.19	A-6.0	2-Layers 5/8" Dens glass Gypsum Sheathing - (4'x8' ea.)	235	5%	247	EA
			400S162-54 @ 24" O.C. Joists - 2978 LF				
1485	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 10'	7	5%	7	EA
1486	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 11'	2	5%	2	EA
1487	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 12'	30	5%	32	EA
1488	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 2'	223	5%	234	EA
1489	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 3'	17	5%	18	EA
1490	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 4'	229	5%	240	EA
1491	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 5'	74	5%	78	EA
1492	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 6'	24	5%	25	EA
1493	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 7'	6	5%	6	EA
1494	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 8'	15	5%	16	EA
1495	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 9'	85	5%	89	EA
1496	A-10.1 to 10.6	A-13.1	400S162-54 Cont. Track @ 12'	36	5%	38	EA
1497	A-10.1 to 10.6	A-13.1	400T150-54 Cont. Track @ 12'	54	5%	57	EA
1498	A-10.1 to 10.6	A-13.1	600T150-54 Cont. Track @ 12'	28	5%	29	EA
1499	A-10.1 to 10.6	A-13.1	#10 Screws	4278	5%	4492	EA
1500	A-10.1 to 10.6	A-13.1	1.5"x1.5" Mil L-Angle	135	5%	142	LF
			Gypsum Board Soffit - 12/A13.1 (21.73 LF):				
1501	A-10.1 to 10.6	A-13.1	#10 Screws W1.5" Penetration	43	5%	46	EA
1502	A-10.1 to 10.6	A-13.1	1-1/2" Wide 33MIL Strap @ Mid Pint	22	5%	23	LF
1503	A-10.1 to 10.6	A-13.1	#10SMS	109	5%	114	EA
1504	A-10.1 to 10.6	A-13.1	1.5"x1.5" Mil L-Angle	22	5%	23	LF
1505	A-10.1 to 10.6	A-13.1	5/8" Type 'X' Gypsum Board Soffit - (4'x8' ea.)	2	5%	2	EA
1506	A-10.1 to 10.6	A-13.1	400T150-54 Cont. Track @ 12'	4	5%	4	EA
1507	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 2'	22	5%	23	EA
			Gypsum Board Soffit - 5/A13.1 (22.41 LF):				
1508	A-10.1 to 10.6	A-13.1	#10 Screws W1.5" Penetration	22	5%	24	EA
1509	A-10.1 to 10.6	A-13.1	1-1/2" Wide 33MIL Strap @ Mid Pint	22	5%	24	LF
1510	A-10.1 to 10.6	A-13.1	#10SMS	78	5%	82	EA

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1511	A-10.1 to 10.6	A-13.1	1.5"x1.5" Mil L-Angle	22	5%	24	LF
1512	A-10.1 to 10.6	A-13.1	5/8" Type 'X' Gypsum Board Soffit - (4'x8' ea.)	1	5%	1	EA
1513	A-10.1 to 10.6	A-13.1	400T150-54 Cont. Track @ 12'	2	5%	2	EA
1514	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 2'	11	5%	12	EA
			Gypsum Board Soffit - 16/A13.1 (57.47 IF):				
1515	A-10.1 to 10.6	A-13.1	#10 Screws W1.5" Penetration	57	5%	60	EA
1516	A-10.1 to 10.6	A-13.1	#10SMS	144	5%	151	EA
1517	A-10.1 to 10.6	A-13.1	1.5"x1.5" Mil L-Angle	57	5%	60	LF
1518	A-10.1 to 10.6	A-13.1	5/8" Type 'X' Gypsum Board Soffit - (4'x8' ea.)	2	5%	2	EA
1519	A-10.1 to 10.6	A-13.1	400T150-54 Cont. Track @ 12'	5	5%	5	EA
1520	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 1'	29	5%	30	EA
			Gypsum Board Soffit - 6/A13.1 (33.23 IF):				
1521	A-10.1 to 10.6	A-13.1	#10 Screws W1.5" Penetration	33	5%	35	EA
1522	A-10.1 to 10.6	A-13.1	1-1/2" Wide 33MIL Strap @ Mid Pint	33	5%	35	LF
1523	A-10.1 to 10.6	A-13.1	#10SMS	150	5%	157	EA
1524	A-10.1 to 10.6	A-13.1	5/8" Type 'X' Gypsum Board Soffit - (4'x8' ea.)	2	5%	2	EA
1525	A-10.1 to 10.6	A-13.1	600T150-54 Cont. Track @ 12'	3	5%	3	EA
1526	A-10.1 to 10.6	A-13.1	600S162-54 Joists @ 1'-4"	17	5%	17	EA
			Gypsum Board Soffit - 7/A13.1 (19.39 IF):				
1527	A-10.1 to 10.6	A-13.1	#10 Screws W1.5" Penetration	19	5%	20	EA
1528	A-10.1 to 10.6	A-13.1	1-1/2" Wide 33MIL Strap @ Mid Pint	19	5%	20	LF
1529	A-10.1 to 10.6	A-13.1	#10SMS	97	5%	102	EA
1530	A-10.1 to 10.6	A-13.1	1.5"x1.5" Mil L-Angle	19	5%	20	LF
1531	A-10.1 to 10.6	A-13.1	5/8" Type 'X' Gypsum Board Soffit - (4'x8' ea.)	1	5%	1	EA
1532	A-10.1 to 10.6	A-13.1	600T150-54 Cont. Track @ 10'	2	5%	2	EA
1533	A-10.1 to 10.6	A-13.1	600S162-54 Joists @ 1'-0"	10	5%	10	EA
			Gypsum Board Soffit - 11/A13.1 (14.28 IF):				
1534	A-10.1 to 10.6	A-13.1	#10 Screws W1.5" Penetration	29	5%	30	EA
1535	A-10.1 to 10.6	A-13.1	1-1/2" Wide 33MIL Strap @ Mid Pint	14	5%	15	LF
1536	A-10.1 to 10.6	A-13.1	#10SMS	93	5%	97	EA
1537	A-10.1 to 10.6	A-13.1	#10Screws	43	5%	45	EA
1538	A-10.1 to 10.6	A-13.1	1.5"x1.5" Mil L-Angle	29	5%	30	LF
1539	A-10.1 to 10.6	A-13.1	5/8" Type 'X' Gypsum Board Soffit - (4'x8' ea.)	1	5%	1	EA
1540	A-10.1 to 10.6	A-13.1	400T150-54 Cont. Track @ 12'	2	5%	2	EA
1541	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 2'	14	5%	15	EA
			Gypsum Board Soffit - 17/A13.1 (17.17 IF):				
1542	A-10.1 to 10.6	A-13.1	#10 Screws W1.5" Penetration	17	5%	18	EA
1543	A-10.1 to 10.6	A-13.1	#10SMS	69	5%	72	EA
1544	A-10.1 to 10.6	A-13.1	600T150-54 Cont. Track @ 10'	2	5%	2	EA
1545	A-10.1 to 10.6	A-13.1	600S162-54 Joists @ 1'-0"	9	5%	9	EA
			Gypsum Board Soffit - 2/A13.1 (43.07 IF):				

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1546	A-10.1 to 10.6	A-13.1	#10 Screws W1.5" Penetration	108	5%	113	EA
1547	A-10.1 to 10.6	A-13.1	#10SMS	65	5%	68	EA
1548	A-10.1 to 10.6	A-13.1	1.5"x1.5" Mil L-Angle	43	5%	45	LF
1549	A-10.1 to 10.6	A-13.1	5/8" Type 'X' Gypsum Board Soffit - (4'x8' ea.)	1	5%	1	EA
1550	A-10.1 to 10.6	A-13.1	400T150-54 Cont. Track @ 12'	4	5%	4	EA
1551	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 2'	43	5%	45	EA
			Gypsum Board Soffit - 15/A13.1 (113.14 IF):				
1552	A-10.1 to 10.6	A-13.1	#10 Screws W1.5" Penetration	113	5%	119	EA
1553	A-10.1 to 10.6	A-13.1	#10SMS	396	5%	416	EA
1554	A-10.1 to 10.6	A-13.1	1.5"x1.5" Mil L-Angle	113	5%	119	LF
1555	A-10.1 to 10.6	A-13.1	5/8" Type 'X' Gypsum Board Soffit - (4'x8' ea.)	2	5%	2	EA
1556	A-10.1 to 10.6	A-13.1	400T150-54 Cont. Track @ 12'	9	5%	10	EA
1557	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 1'-4"	57	5%	59	EA
			Gypsum Board Soffit - 18/A13.1 (41.78 IF):				
1558	A-10.1 to 10.6	A-13.1	#10 Screws W1.5" Penetration	84	5%	88	EA
1559	A-10.1 to 10.6	A-13.1	#10SMS	167	5%	175	EA
1560	A-10.1 to 10.6	A-13.1	5/8" Type 'X' Gypsum Board Soffit - (4'x8' ea.)	3	5%	3	EA
1561	A-10.1 to 10.6	A-13.1	600T150-54 Cont. Track @ 12'	3	5%	4	EA
1562	A-10.1 to 10.6	A-13.1	600S162-54 Joists @ 1'-4"	21	5%	22	EA
1563	A-10.1 to 10.6	A-13.1	400S162-54 Transverse Bracing @ 1'-8"	5	5%	5	EA
			Gypsum Board Soffit - 10/A13.1 (23 IF):				
1564	A-10.1 to 10.6	A-13.1	#10 Screws W1.5" Penetration	12	5%	12	EA
1565	A-10.1 to 10.6	A-13.1	#10SMS	138	5%	145	EA
1566	A-10.1 to 10.6	A-13.1	1-1/2" Wide 33MIL Strap @ Mid Pint	23	5%	24	LF
1567	A-10.1 to 10.6	A-13.1	1.5"x1.5" Mil L-Angle	23	5%	24	LF
1568	A-10.1 to 10.6	A-13.1	5/8" Type 'X' Gypsum Board Soffit - (4'x8' ea.)	0	5%	0	EA
1569	A-10.1 to 10.6	A-13.1	400T150-54 Cont. Track @ 12'	2	5%	2	EA
1570	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 1'-0"	12	5%	12	EA
			Gypsum Board Soffit - 4/A13.1 (315.57 IF):				
1571	A-10.1 to 10.6	A-13.1	#10 Screws W1.5" Penetration	789	5%	828	EA
1572	A-10.1 to 10.6	A-13.1	1-1/2" Wide 33MIL Strap @ Mid Pint	316	5%	331	LF
1573	A-10.1 to 10.6	A-13.1	#10SMS	1736	5%	1822	EA
1574	A-10.1 to 10.6	A-13.1	1.5"x1.5" Mil L-Angle	316	5%	331	LF
1575	A-10.1 to 10.6	A-13.1	5/8" Type 'X' Gypsum Board Soffit - (4'x8' ea.)	5	5%	5	EA
1576	A-10.1 to 10.6	A-13.1	400T150-54 Cont. Track @ 12'	26	5%	28	EA
1577	A-10.1 to 10.6	A-13.1	400S162-54 Joists @ 1'	158	5%	166	EA
			Gypsum Board Soffit - 8/A13.1 (392.41 IF):				
1578	A-10.1 to 10.6	A-13.1	#10 Screws W1.5" Penetration	392	5%	412	EA
1579	A-10.1 to 10.6	A-13.1	1-1/2" Wide 33MIL Strap @ Mid Pint	392	5%	412	LF
1580	A-10.1 to 10.6	A-13.1	#10SMS	1570	5%	1648	EA
1581	A-10.1 to 10.6	A-13.1	5/8" Type 'X' Gypsum Board Soffit - (4'x8' ea.)	18	5%	19	EA
1582	A-10.1 to 10.6	A-13.1	600T150-54 Cont. Track @ 12'	33	5%	34	EA

ITEM #	DWG#	DETAIL #	DESCRIPTION	QUANTITY	WASTAGE	QTY W/WASTE	UNIT
1583	A-10.1 to 10.6	A-13.1	600S162-54 Joists @ 1'-0"	196	5%	206	EA
			Box Beam - 2/A13.1 (85.77 lf):				
1584	A-10.1 to 10.6	A-13.1	#10 Screws W1.5" Penetration	129	5%	135	EA
1585	A-10.1 to 10.6	A-13.1	#10SMS	257	5%	270	EA
1586	A-10.1 to 10.6	A-13.1	600T150-54 Cont. Track @ 12'	29	5%	30	EA
			Level 04 Finish				
1587	A-10.1 to 10.6	A-13.1	Drywall Level 04 Finish	9046	5%	9498	Sf
			Sealant				
1588	A-10.1 to 10.6	A-13.1	Sealant /Caulkings	7395	5%	7765	LF
			Corner Beads				
1589	A-10.1 to 10.6	A-13.1	Metal corner Beads 10' Sticks	450	5%	473	EA
			Horizontal Drywall Ceiling Assemblies				
			1-HR Roof-Rated Ceiling Assembly - A-1 (42677 SF)				
1590	A-2.19, 2.24	T-1.4	5/8" Sheetrock® Brand Ecosmart Panels Firecode® X (Proprietary Layer) - (4'x8' ea.)	1334	5%	1400	EA
1591	A-2.19, 2.24	T-1.4	1-1/4" Type S Screws @ Bottom Chord Of Truss	16044	5%	16846	EA
1592	A-2.19, 2.24	T-1.4	12' Resilient Channels @ 16" O.C.	2674	5%	2808	EA
1593	A-2.19, 2.24	T-1.4	1" Type S Screws @ 8" O.C.	48132	5%	50539	EA
			1-HR Rated Ceiling Assembly - F-1 - (952 SF)				
1594	A-2.19, 2.24	T-1.4	5/8" Type 'X' Gypsum Board (Base Layer) - (4'x8' ea.)	30	5%	31	EA
1595	A-2.19, 2.24	T-1.4	1-1/4" Type S Screws @ Bottom Chord Of Truss 24" O.C.	238	5%	250	EA
1596	A-2.19, 2.24	T-1.4	5/8" Type 'X' Gypsum Board (Face Layer) - (4'x8' ea.)	30	5%	31	EA
1597	A-2.19, 2.24	T-1.4	1-7/8" Type W Screws @ 12" O.C.	476	5%	500	EA
			2-HR Rated Ceiling Assembly - F-2 - (804 SF)				
1598	A-2.19, 2.24	T-1.4	5/8" Firebloc® Type C Gypsum Board (Proprietary 1st Hidden Layer) - (4'x8' ea.)	25	5%	26	EA
1599	A-2.19, 2.24	T-1.4	1-5/8" Type S Screws @ 8" O.C.	603	5%	633	EA
1600	A-2.19, 2.24	T-1.4	12' Resilient Channels @ 12" O.C.	67	5%	70	EA
1601	A-2.19, 2.24	T-1.4	1-7/8" Type S Screws, RC to Truss @ 24" Crossings	402	5%	422	EA
1602	A-2.19, 2.24	T-1.4	5/8" Firebloc® Type C Gypsum Board (Proprietary 2nd Hidden Layer) - (4'x8' ea.)	25	5%	26	EA
1603	A-2.19, 2.24	T-1.4	1" Type S-12 Screws @ 8" O.C.	1206	5%	1266	EA
1604	A-2.19, 2.24	T-1.4	5/8" Firebloc® Type C Gypsum Board (Proprietary Face Layer) - (4'x8' ea.)	25	5%	26	EA
1605	A-2.19, 2.24	T-1.4	1-5/8" Type S-12 Screws @ 8" O.C.	1206	5%	1266	EA
			Ceiling Fastening Additions				
1606	A-2.19, 2.24	T-1.4	1-1/2" Type G Screws @ End Joints, F-1 Face Layer	240	5%	252	EA
1607	A-10.1 to 10.6	A-13.1	1-1/4" Type S Screws, Common Area Clg GB to Joists @ 12"	2923	5%	3069	EA
1608	A-2.19	A-6.0	1-5/8" Screws, 2-Layer DensGlass Clg Sheathing	3763	5%	3951	EA

[illegible]